

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19388	(controller) same ((first primary second secondary) near3 (block sector section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:26
L2	194	(controller) same ((first primary second secondary) near3 (block sector section)) same (real near2 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:58
L3	19	2 same (OS (operating adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:30
L4	5	2 same ((function program instruction OS (operating adj system)) same ((load\$5 overwrit\$4 start\$3 execut\$5) with (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:50
L5	44	2 and ((function program instruction OS (operating adj system)) same ((load\$5 overwrit\$4 start\$3 execut\$5) with (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:50
L6	6	5 and ((load\$5 overwrit\$4 start\$3 execut\$5) with (without near3 (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:49
L7	5	6 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:46
L8	9	("19826458" "9837493" "0936729" "9913418" "19826458" "9837493" "0936729" "9913418").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:48

## EAST Search History

L9	0	8 and ((load\$5 overwrit\$4 start\$3 execut\$5) with (without near3 (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:57
L10	0	8 and ((function program instruction OS (operating adj system)) same ((load\$5 overwrit\$4 start\$3 execut\$5) with (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:57
L11	0	8 and ((function program instruction OS (operating adj system)) same ((load\$5 overwrit\$4 start\$3 execut\$5) with (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:58
L12	4379	711/114,154.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:56
L13	2497	(700/18 713/164 714/25 717/1). ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:57
L14	6868	12 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:57
L15	73	14 and ((load\$5 overwrit\$4 start\$3 execut\$5) with (without near3 (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:57
L16	44	15 and ((function program instruction OS (operating adj system)) same ((load\$5 overwrit\$4 start\$3 execut\$5) with (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:57

## EAST Search History

L17	44	16 and ((function program instruction OS (operating adj system)) same ((load\$5 overwrit\$4 start\$3 execut\$5) with (stop\$4 interrupt\$3 suspend\$3 halt\$3 paus\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:58
L18	0	17 and ((controller) same ((first primary second secondary) near3 (block sector section)) same (real near2 time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 19:59
L19	3	17 and ((controller) same ((first primary second secondary) near3 (block sector section)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 20:01
L20	0	14 and (A controller near3 particular near3 drive near3 controller near5 first functional block for at least one permanently installed controller function near3 second functional block for at least one dynamically loadable controller function near3 second functional block can be dynamically loaded dynamically overwritten near3 real-time function during near3 operation near3 controller near3 first functional block stores several real-time basic functions near3 controller near3 second functional block stores at least one real-time additional function near3 controller near3 wherein during the operation near3 during processing near3 real-time basic function near3 real-time additional function near3 dynamically loaded near3 dynamically overwritten near3 started near3 executed near3 second functional block without interrupting near3 real-time basic function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/07/22 20:20
S1	2	"3996567".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 17:08

## EAST Search History

S2	1	"0369963".pn.	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 18:31
S3	0	"0369963".pn.	IBM_TDB	OR	ON	2006/07/22 17:11
S4	0	"0369963".pn.	EPO; IBM_TDB	OR	ON	2006/07/22 17:11
S5	0	"0369963".pn.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/22 17:12